

CNZHENBO
臻博机械

MP Sonic
Welding and cutting system

Technical Instruction

Ultrasonic Edge Welding Machine

MSP-JS4008EF



Zhejiang Zhenbo Precision Machinery Co.,Ltd

www.mp-sonic.com; www.mp-sonic.cn

MP Sonic

Automotive Interior Lining Edge Ultrasonic Welding Machine

This machine is applied to bond the lining material to injection molded parts at edge by ultrasonic welding method to position material avoid loose after laminating

To ensure perfect melting to material, high frequency of ultrasonic is applied. Feet-pad switch is applied to activate ultrasonic, soft wheel with bearing is design to support the back of welding, perform easy operation.

- Antiresonance ultrasonic circuit design, stable in performance in high loading;
- MP Sonic Korea PLL technology, automatic tuning;
- Easy operation in high production efficiency.



臻博 MP SONIC
MSP-JS4008ED
www.mp-sonic.com
info@mp-sonic.com



MP Sonic



Specification:

1. Power source: 220V, 1P, AC, 50/60Hz;
2. Air Source: 0.6~0.8Mpa;
3. Ultrasonic System: 40KHz 800W
4. Rated Consumption: 1000KVA;
5. Machine Measurement: L680*D680*H105 (mm);
6. Working Room Temperature: 5°C~50°C;

MP Sonic

Critical Elements

**Phase Lock Loop
Tech by MP Sonic**



Ultrasonic Generator



Ultrasonic Horn



Ultrasonic Booster



Ultrasonic Converter

@MPS-MPS-35K Series

Thanks

Tel :+86-577-61517751

Fax :+86-577-61517750

Mob:+86 15918523336

Email :alex.lee@mp-sonic.com; alexlee2696@163.com

Add :No.289, Weiqi Road, Yueqing Economic
Development Zone, Wenzhou, China

Web:www.cnzhenbo.com; www.mp-sonic.cn